

# TOPFLOR PLASTICS NANTONG CO., LTD.

## TEST Report

**REPORT NUMBER**

170705003SHF-BP-2

**ISSUE DATE**

2017-07-31


**PAGES**

4

**DOCUMENT CONTROL NUMBER**

LFT-APAC-SHF-OP-10a

© 2017 INTERTEK



# Test Report

Issue Date: 2017-07-31 Intertek Report No. 170705003SHF-BP-2

Applicant: TOPFLOR PLASTICS NANTONG CO., LTD.

Applicant Address: No.10 Tao Yuan Road, Nantong Jiangsu, P.R.China

Attn: Zhang Wei

**SUBJECT:** Performance testing  
SPORTS FLOORING

Dear Sir,

This test report for represents the results of our evaluation of the above referenced product(s) to the requirements contained in the following standards:

TEST METHODS AND STANDARDS
Refer to the next following Pages.

SAMPLE ID	MODEL	SPECIFICATION
S170705003SHF.005	TOPFLOR	7.0mm

SAMPLE RECEIEVED: 2017-06-26  
TESTED FROM: 2017-07-05 TO 2017-07-31

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

## Test Report

Issue Date: 2017-07-31

Intertek Report No. 170705003SHF-BP-2

### Test Items, Method and Results:

Test Item	Test Method	Test Result	Test Requirement	Verdict
Friction	EN 13036-4:2011	Mean value: 98 Maximum differ from the mean: 2 units	The mean of the Pendulum Test Value shall be between 80 and 110 and no individual test result shall differ from the mean by more than 4 units.	Pass

Note:

1. Test requirement is cited from EN 14904:2006 Section 4.2.

## Test Report


Issue Date: 2017-07-31

Intertek Report No. 170705003SHF-BP-2

### APPENDIX: SAMPLE RECEIVED PHOTO



Front View



Back View



Section View

### REPORT AUTHORIZED

When signed with physical or electronic signature, the contents of this report have been prepared and approved per Intertek's quality process in accordance with ISO 17025.

  
 Name: Sun Sun Title: Approver  
 Name: Sally Xie Title: Reviewer  
 Name: Tod Qian Title: Project Engineer

### Revision:

NO.	DATE	CHANGES	AUTHOR	REVIEWER
170705003SHF-BP-2	2017-07-31	First issue	Tod Qian	Sally Xie